



2010 GENERAL CONTRACTORS PRICE LIST

READY MIXED CONCRETE

ALL MIXES ARE PERFORMANCE BASED USING TYPE 10 PORTLAND AND SUPPLEMENTARY CEMENTITIOUS PRODUCTS

GATINEAU-OTTAWA AREA

CONCRETE ORDERS

GATINEAU-OTTAWA DISPATCH . . . (819) 771-0256
 OPERATIONS (819) 771-3180

SALES OFFICE

GATINEAU-OTTAWA (819) 771-9486
 1 EMILE-BOND, GATINEAU, QC . . (819) 771-2692
 FAX (819) 771-5748

HEAD OFFICE TORONTO

Phone (416) 423-1300

Toll Free (800) 268-6148

Fax (416) 423-6912

STRENGTH (Includes 20mm Aggregate Maximum 100mm Slump)	10.0 Megapascals			\$ 127.00	m ³	
	15.0 MPa			130.00	m ³	
	17.5 MPa			131.00	m ³	
	20.0 MPa			133.00	m ³	
	25.0 MPa			141.00	m ³	
	30.0 MPa			150.00	m ³	
	35.0 MPa			165.00	m ³	
	40.0 MPa			185.00	m ³	
	45.0 MPa			200.00	m ³	
	50.0 MPa			233.00	m ³	
	60.0 MPa			255.00	m ³	
	U-FILL (0.4 MPa)			99.00	m ³	
OBC WALL MIX	15 MPa 0.70 W/C	180mm Slump Maximum		\$ 134.00	m ³	
	17.5 MPa 0.70 W/C	180mm Slump Maximum		137.00	m ³	
	20 MPa 0.70 W/C	180mm Slump Maximum		140.00	m ³	
OPSS MIXES Minimum 3 m ³ load size	15 MPa 20mm stone			\$ 192.00	m ³	
	20 MPa 20mm stone			205.00	m ³	
	25 MPa 20mm stone			209.00	m ³	
	30 MPa 20mm stone			215.00	m ³	
	35 MPa 20mm stone			228.00	m ³	
	50 MPa 20mm stone HPC			274.00	m ³	
SPECIAL AGGREGATES	Stone 10mm & 40mm	ADD		\$ 10.00	m ³	
	Heavy Weight Aggregate			PRICE ON REQUEST		
	Coloured Aggregate			PRICE ON REQUEST		
LEAN MIX	0.7 MPa			\$ 121.00	m ³	
	2.0 MPa			122.00	m ³	
	4.0 MPa			123.00	m ³	
	5.0 MPa			124.00	m ³	
	7.0 MPa			125.00	m ³	
CSA SPECIFICATION MIXES (Maximum 100mm Slump)	Class of exposure in accordance with CSA A23.1-04, Table 1 & 2			Strength	W/C Ratio	
	C-XL	Exposures Minimum	50 MPa at 56 days	.37	\$ 274.00	m ³
	C-1 S-1	A1 Exposures Minimum	35 MPa	.40	172.00	m ³
	C-2 S-2	A2 Exposures Minimum	32 MPa	.45	165.00	m ³
	C-3 F-1 S-3	A3 Exposures Minimum	30 MPa	.50	157.00	m ³
	C-4 F-2	A4 Exposures Minimum	25 MPa	.55	148.00	m ³

C.O.D. ORDERS

ADD \$ 50.00 m³

CBM reserves the right to increase prices due to project type and/or volume requirements

Effective January 1, 2010



2010 GENERAL CONTRACTORS PRICE LIST

READY MIXED CONCRETE

ALL MIXES ARE PERFORMANCE BASED USING TYPE 10 PORTLAND AND SUPPLEMENTARY CEMENTITIOUS PRODUCTS

GATINEAU-OTTAWA AREA

GROUT MIXES	1 - 1	30 MPa	\$ 240.00	m ³
	1 - 2	25 MPa	206.00	m ³
	1 - 3	15 MPa	172.00	m ³
	1 - 4	10 MPa	157.00	m ³
	Flowable Fill	0.4 MPa	116.00	m ³
SPECIAL CEMENT MIXES	Type 10 SF	ADD	\$ 50.00	m ³

COST RECOVERY CHARGES

ENVIRONMENTAL CHARGE			\$ 4.00	m ³
CONCRETE COOLING – ICE	Concrete temperatures 25 C to 30 C		\$ 50.00	m ³
	Concrete temperatures under 25 C		75.00	m ³
WINTER HANDLING	November 1 to April 15 (Inclusive)		\$ 16.00	m ³
AFTER HOURS DELIVERY	Regular Hours - Monday to Friday 6:00 a.m. to 6:00 p.m.			
	After 6:00 p.m. and before 9:00 p.m.		\$ 16.00	m ³
NOTE	No concrete deliveries on Saturdays, Sundays, statutory holidays			

MINIMUM DELIVERY CHARGE	Load sizes 3 m ³ or less	\$150.00 PER LOAD
NOTE:	Minimum 1 m ³ per load	
	One part load allowed to finish a pour on orders exceeding 7 m ³	

FUEL SURCHARGE	<p>A Fuel surcharge will appear as a line item on all invoices and it will remain N/C until diesel fuel surpasses \$1.15/L. If and when fuel surpasses \$1.15/L, the fuel charge will be changed from N/C on the invoices to \$1.00 /m³.</p> <p>This charge will remain in effect until diesel fuel drops below the \$1.00/L level; if and when this happens the charge will again appear on invoice at N/C until such a time diesel fuel spikes over the \$1.15/L level again, at which point the process will start over again.</p> <p>If diesel fuel increases further above \$1.30/L level, the fuel charge will increase to \$2.00 /m³ until it dips back below the \$1.15/L level when it will return to \$1.00 /m³.</p> <p>Fuel prices will be monitored and surcharges will be applied on a monthly basis using the following website as our reference www.fuelfocus.nrcan.gc.ca.</p>
-----------------------	---

RESTRICTED LOAD CHARGE	When Highway Traffic Act restrictions are in effect a Restricted Load Charge will apply	\$ 250.00 PER LOAD
-------------------------------	---	---------------------------

POUR CANCELLATION CHARGE	A minimum \$600 charge will apply to all pour cancellations. This charge includes expenses incurred for the first RMTO, Plant Manager and Loader Operator. For each additional RMTO an additional \$200 charge will apply. Notice must be given one day prior to pour to avoid this cancellation charge.	
---------------------------------	--	--

ADDITIONAL UNLOADING TIME	90 minutes per load will be allowed for unloading. Additional time will be charged at \$2.00 per minute or	\$ 120.00 PER HOUR
----------------------------------	--	---------------------------

TAXES EXTRA	Provincial Sales Tax is 8%. Goods and Services Tax 5%. Québec : T.P.S. is 5%, T.V.Q. is 7.5% Subject to any further increase by reason of government legislation.	
--------------------	---	--

TERMS	Prices on ready mixed concrete are net and due for payment on or before thirty days after date of invoice. On overdue accounts interest at 1.5% monthly (18% per annum) will be charged. The above prices are firm only if covered by a written quotation and are subject to terms and conditions thereon. All Concrete prices are subject to a \$7.00/m ³ escalator each January 1 st .	
--------------	---	--

Effective January 1, 2010

maximizers

The Evolution of Concrete

Maximizers are proprietary ready-mixed concretes from CBM, designed to meet today's complicated construction requirements. Our leading edge concrete technology along with our quality commitment will significantly improve your bottom line! Prices for mixes not listed available upon request. All Maximizers products will conform to applicable CSA A23.1 and ASTM requirements.

Agri-Max

Agri-Max™ Ready Mixed Concrete is a line of high quality concrete mixes specifically designed for the exceptional demands of Canadian Agriculture

D-LaySet

Beating the heat is no sweat with CBM's D-Lay Set™ ready-mix concrete. Relief for your hot weather headaches.

Fiber Blue

Millions of fibers strong – CBM's Fiber Blue™ is a durable, crack resistant concrete for driveways, patios, walks and floors.

First-Up

Make the most of your day with CBM's First-Up™ ready-mix concrete... wherever you need high early strength for easy stripping.

Redi-Fill

CBM's Redi-Fill™ is the perfect solution for hard to access areas and eliminates the need for compaction... especially where safety is an issue.

Get-Set

Get-Set!™ from CBM speeds concrete set times by as much as 35% and permits placement at temperatures as low as -7°C.

Lisa

Lisa™ is a high strength, extremely flowable, self consolidating concrete that provides a superior finish and workability.

Re-Pel

Engineered quality for agricultural and chemical resistant applications. Low permeability and greater durability... good reasons to specify CBM's Re-Pel™.

ShrinkGuard

Reduce concrete cracking and shrinkage with ShrinkGuard™ from CBM. Requires no special placement or finishing.

Smooth Blue

Improve your profitability – CBM's Smooth Blue™ ready-mixed concrete gives a better finish with reduced cracking.

StrucFiber

StrucFiber™ is a revelation in ready-mixed concrete providing the same reinforcement as steel fiber or WWF but far easier to place and finish.



CBM

VALUE ADDED PRODUCTS

ALL VALUE ADDED PRODUCTS WILL BE SUPPLIED BY CBM

AIR ENTRAINMENT

Strength Mixes

40 MPa and higher	ADD	\$ 10.00 m ³
-------------------	-----	-------------------------

CALCIUM CHLORIDE

1%	ADD	\$ 5.00 m ³
----	-----	------------------------

2%	ADD	10.00 m ³
----	-----	----------------------

COLOUR

Red colour for conduit cover	ADD	\$ 40.00 m ³
------------------------------	-----	-------------------------

All other colour mixes (Colour chart available on request)		PRICE ON REQUEST
---	--	------------------

Washout		\$ 80.00 PER TRUCK
---------	--	--------------------

D-LAY SET

6 hour set retarding	ADD	\$ 10.00 m ³
----------------------	-----	-------------------------

2 hour set retarding	ADD	\$ 7.00 m ³
----------------------	-----	------------------------

FIBER BLUE	ADD	\$ 15.00 m ³
------------	-----	-------------------------

FIRST-UP

75%* OF 28 DAY STRENGTH IN:

		24 Hours	48 Hours	72 Hours
20 MPa	ADD	\$ 25.00 m ³	\$ 19.00 m ³	\$ 15.00 m ³
25 MPa	ADD	32.00 m ³	19.00 m ³	15.00 m ³
30 MPa	ADD	39.00 m ³	19.00 m ³	15.00 m ³
35 MPa	ADD	42.00 m ³	23.00 m ³	15.00 m ³

*Based on proper curing temperatures in accordance with CSA requirements.

GET-SET

Get-Set 1 (10°C to 8°C)	ADD	\$ 16.00 m ³
-------------------------	-----	-------------------------

Get-Set 2 (7°C to 5°C)	ADD	22.00 m ³
------------------------	-----	----------------------

Get-Set 3 (4°C to -1°C)	ADD	29.00 m ³
-------------------------	-----	----------------------

Get-Set 4 (-2°C to -7°C)	ADD	39.00 m ³
--------------------------	-----	----------------------

PUMP MIX

Minimum strength pumped

20 MPa	ADD	\$ 6.00 m ³
--------	-----	------------------------

Strengths over 25 MPa		PRICE ON REQUEST
-----------------------	--	------------------

Lightweight mixes		PRICE ON REQUEST
-------------------	--	------------------

(Requires Smooth Blue High. See next item.)

Additional material preparation time is required

SMOOTH BLUE

Extended Range (Maximum 230mm Slump)		PRICE ON REQUEST
---	--	------------------

High Range (Maximum 190mm Slump)	ADD	\$ 15.00 m ³
-------------------------------------	-----	-------------------------

Mid Range (Maximum 150mm Slump)	ADD	\$ 10.00 m ³
------------------------------------	-----	-------------------------

Lightweight mixes (Requires H.R.W.R.)		PRICE ON REQUEST
---------------------------------------	--	------------------

Effective January 1, 2010

YOUR GUIDE TO QUALITY CUSTOMER SERVICE

Our goal is to provide quality products, delivered on time and in a courteous manner while allowing flexibility to you, our valued customer.

ORDERING GUIDELINES

CBM is committed to providing QUALITY and SERVICE on all Ready Mixed Concrete orders.

We believe that the ability of our customers to effectively schedule concrete orders is critical to on-time delivery. In order to serve our customers better we have created a set of ORDERING GUIDELINES.

By issuing these guidelines, we will endeavor to meet your service expectations by making the most effective use of our people and equipment.

- ✎ ADVANCE NOTICE
In order to provide the best possible service, we encourage customers to place orders by 3:00 p.m. the day before the concrete is required.
- ✎ QUANTITY + RATE
When you are placing an order, we must know the quantity of concrete that will be used on a particular pour, and the required pour rate in cubic metres per hour.

- ✎ All first-round orders must be placed as CONFIRMED ORDERS.
- ✎ RADIO ORDERS
We discourage orders over the radio or to sales staff. If this is necessary we ask that the order be confirmed by telephone on the same day as the order is placed. (Balance orders will be accepted over the radio).
- ✎ ON CALL ORDERS will be scheduled *when confirmed* and as the existing workload permits.
- ✎ CANCELLATION OF ORDERS will only be possible if the truck is not yet loaded.
- ✎ KEEP US INFORMED
Prompt notification to dispatch is necessary if there are changes or delays to your original order.

OUR COMMITMENT

- ✎ We will *always* endeavor to be on the job at the scheduled time.
- ✎ Once a pour is started, our dispatchers are committed to keeping the customer supplied with concrete until the original order is finished. A balance to the original order will be shipped in a timely fashion. Additional metres will be supplied as scheduling permits.

- ✎ All orders will be taken only by the Plant Manager or Dispatcher who will do everything possible to work the order in at an acceptable time.
- ✎ Delivering a quality product with exceptional service is our daily goal.

DISPATCH HOURS

- ✎ Hours for ordering concrete are 7:00 a.m. to 5:00 p.m. Monday to Friday.
- ✎ Orders taken before 7:00 a.m and after 5:00 p.m. will be scheduled as truck availability permits.

JUST A REMINDER

- ✎ Proper site preparation and organization are essential to Quality Service.
- ✎ It is the customers responsibility to provide qualified flagmen and bucket personnel.
- ✎ **Excessive concrete returns are a hindrance to providing our customers with good service.**



www.stmaryscement.com